

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the labeling. Do not use on horses or foals intended for slaughter. Do not apply over sun, wounds, or irritated skin. Do not apply over eyes, nose and mouth. Apply sparingly around face. Wash hands with soap and water thoroughly after use. Do not use on public recreational or riding areas. Do not use in a well-ventilated area. Do not spray product where food is present. Do not apply this product in a way that will restrict any person's ability directly or through drift, to keep people out of the breathing application.

For initial treatment, apply daily for 7-10 days. An intensive schedule, repeat treatment every 5-10 days or as prescribed by a veterinarian. Also repeat every time animal is washed or exposed to heavy rain. Do not apply within 7 days for dogs and horses. Do not apply more than one time per day for horses and foals.

Consult a veterinarian before applying this product to weakened, debilitated, aged, pregnant or nursing animals.

USE ONLY ON WELLY-VENTILATED AREAS. HOLD BOTTLE IN UPRIGHT POSITION WHEN SPRAYING.

Dogs: Do not allow product to contact animal's eyes, nose, mouth, or ears during application. Do not use on puppies under 12 weeks old. Sanathines may occur after using any pesticide product for pets. If signs of sensitivity occur, bath your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Cover animal's eyes with hands. With a fine mist, create a proper spray mist, sprayhead, around chest and neck. With fingertips, rub into face around mouth, nose and eyes. Then spray neck, middle and hind quarters, brushing legs last. For best penetration of spray to the skin, direct spray against the natural lay of the hair. On long-haired dogs, rub your hand against the lay of the hair, spreading the ruffled hair directly behind the head. Make sure spray thoroughly wets hair.

Horses: Do not allow product to contact animal's eyes, nose, mouth, or ears during application. Do not use on foals under 12 weeks old. Thoroughly brush the horse's coat, prior to application, to remove loose dirt and debris. For dry horses, and as a preparation for show presenting, clean the coat with a quality shampoo. Wash until coat is completely dry before applying. Cover entire surface of animal with spray but avoid getting product into horse's eyes, nose, mouth, or ears. Wash coat against grain while spraying to insure adequate penetration of product. As a wipe, apply liberally with a clean cloth or sponge. Make sure spray has completely dried before covering with any tack.



EQUICARE[®]

FLYSECT[®]

SUPER-7[™]
REPELLENT SPRAY

WITH ALOE AND LANOLIN
 For puppies, dogs, horses or foals

Contains two insecticide systems and two repellents for immediate and residual control of gnats, flies, mosquitoes, mites, chiggers, fleas, ticks and lice

Also for use as a grooming aid and coat conditioner

READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON HORSES, DOGS, PUPPIES OR FOALS
PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Irritates heavily if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, cleaning teeth, using tobacco or using the toilet.

Additional: Avoid contact with eyes or mucous membranes. Do not use on nursing puppies and foals under 12 weeks of age unless prescribed by a veterinarian. Small lesions may occur after using AHT pesticide products for pets. If signs of sensitivity occur, bath your pet with mild soap and rinse with large amounts of water. Flush contact, consult a veterinarian immediately.

FIRST AID

If In Eyes:	<ul style="list-style-type: none"> • Hold eye open and flush copiously with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue flushing eyes. • Call a poison control center or doctor for treatment advice.
If Swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on Skin or Clothing:	<ul style="list-style-type: none"> • If eye contact is made, see first product. • Wash skin with soap and water for 15-20 minutes. • Remove clothing and shoes if they have been soiled. • Call a poison control center or doctor for treatment advice.
If on Food or Feeding:	<ul style="list-style-type: none"> • If eye contact is made, see first product. • Wash skin with soap and water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If on Food or Feeding:	<ul style="list-style-type: none"> • If eye contact is made, see first product. • Wash skin with soap and water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.

ENVIRONMENTAL PRECAUTIONS

This pesticide label is specific to equine, equine-related, and human-related. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treated area.

This product is highly toxic to bees exposed to direct treatment or to bees on treated areas. Do not apply this product or allow it to drift to flowering crops or areas with less than active bees foraging on treated areas.

PHYSICAL OR CHEMICAL HAZARDS
 FLAMMABLE: Keep away from heat and open flame. Contains alcohol. Do not apply to painted or treated wood surfaces.



STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

POST-USE STORAGE: Store in original container in a cool, dry place inaccessible to children and pets. If a child-resistant container is used, make sure the child-resistant device remains in place. Store pesticide away from heat, pet food, feed, fertilizers, and veterinary supplies.

POST-USE DISPOSAL, AND CONTAINER REUSE: Nonhazardous container: Do not reuse or refill this container. If empty, Place in trash or other for recycling if available. If partially filled, Call your local or state agency for disposal instructions. Never place animal product down any drain or surface drain.

ACTIVE INGREDIENTS

Fenitrothion ¹	0.22%
Permethrin.....	0.22%
Piperonyl butoxide ²	0.52%
10-cyano-1,2,3,4-tetrahydro-2H-benzothiazol-5-one.....	2.02%
Di-n-propyl benzothiazylsulfonamide.....	1.02%
Subacetylcholinesterase (AChE).....	5.02%
TOTAL (A) (B) (C) (D) (E).....	91.12%

INERT

13.002%
 1-(4-chlorophenyl) methyl-3-(4-chloro-2,5,6-trichlorophenyl)-2,2-dimethylpropylcarbamate³
 2-(4-chlorophenyl)-2-propylpropane-1-thiol ether and related compounds

KEEP OUT OF REACH OF CHILDREN
CAUTION

See label for use and additional Precautionary Statements

Net Contents: 1 qt (32 fl oz) (0-45 ml)

Product Code: 1632205
 0030091123 • 01-11-09
 078 Reg. No. 170-284
 078 (a) (b) 16864-0-01



Manufacturer:
FARNAM WORLDWIDE, INC.
 1501 East Woodfield Road, 2008 • Scherborn, IL 61871
 (800) 368-3854, (309) 368-3854, 2011, 2012, 2013 • ©2013 Farnam Companies, Inc.
 Equicare with design, Flysect, Super-7, and Sprays with design are trademarks of Farnam Companies, Inc. Central Garden & Pet and Central Garden & Pet with design are trademarks of Central Garden & Pet Company.