Repellent spray with soothing oil and insecticide for horses, ponies and foals.
Contains two insecticides and two repellents for use on horses for control and relief of mosquitoes, gnats, face flies, stable flies, house flies, other flying insects and lice.

PRECAUTIONARY STATEMENTS — HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING – HAZARDS TO HUMANS: Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear eye protection, eyewear (such as goggles or face shield). Wash hands thoroughly with soap and water promptly after use and before eating, drinking, chewing gum, using tobacco or using the toilet.

HAZARDS TO ANIMALS: Avoid contact with eyes or mucous membranes. Do not treat foals younger than 12 weeks of age unless prescribed by a veterinarian. Do not apply over cuts, wounds or irritated skin. Do not allow this product to contact animal's eyes, nose, or mouth. Apply sparingly around ears. Excessive use or misuse may cause irritation to eyes, nose or mouth. If signs of excessive nose, bathe the animal with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Some ill-conditioned animals using this product are debilitated, aged, medicated, pregnant, or nursing animals.

FIRST AID

IF IN EYES	• Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. For additional information on this pesticide product (including health concerns or suspected poisonings or pesticide incidents), you may call 1-800-334-3358, weekdays 8 AM Eastern per day, except 24 days per week.

NOTE TO PHYSICIAN: Probable mucosal damage may contribute to the eye injury.

ENVIRONMENTAL HAZARDS: This product is extremely toxic to aquatic organisms, including fish and invertebrates. This product may contaminate water through run-off. This product has potential for run-off for several months or more after application. Poorly draining soils or soils with shallow water tables are more prone to produce run-off that contains this product. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. See Directions for Use for additional agricultural and aquatic restrictions.

This pesticide is highly toxic to bees exposed to direct treatment or blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS: FLAMMABLE. Keep away from heat and open flame. Container is closed. Do not apply to person or animal when closed.

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON HORSES, PONIES AND FOALS. NOT FIT TO USE ON HORSES INTENDED FOR SLAUGHTER.

Farnam — Your Partner in Horse Care

Manufactured for: FARNAM COMPANIES, INC.
1301 East Woodland Cir., Phoenix, AZ 85034
Call with comments or questions: 800-234-3358
Product Code: 7000444 • SAMPLE/LOT: 17-1020
02/2018, 2018, 2019, 2020, 2021 Farnam Companies, Inc.
Farnam and the Farnam Logo, Mosquito Halt, Repellent Spray for Horses, and Mosquitoes, Gnats, Flies and Lice are registered trademarks of Farnam Companies, Limited

Repels
BEFORE
Mosquitoes Bite

MOSQUITO HALT®

Repellent Spray for Horses

For Control of Face Flies, Stable Flies, House Flies, Mosquitoes, Gnats, Mites and Lice

Farnam

ACTIVE INGREDIENTS:

Permethrin** (CAS #52645-53-1)	0.25%
Pyrethrins** (CAS #8003-34-7)	0.13%
Piperonyl butoxide** (CAS #51-03-6)	0.50%
Eucalyptus oil (CAS #8000-48-4)	0.50%
2-(2-Hydroxyethyl)-1-methylpropyl 2-propylpentanoate (CAS #119515-38-7)	0.50%
N,N-Diethyl-m-toluamide (CAS #134-62-3)	0.50%
Citronella (geraniol) (CAS #8000-29-1)	0.50%
OTHER INGREDIENTS:	97.12%
TOTAL:	100.00%

** Pyrethrins (CAS #8003-34-7) and Permethrin (CAS #52645-53-1) are Pyrethroids. Pyrethroids have cross resistance with DDT and Chlorinated Hydrocarbons.

Contains petroleum distillates

KEEP OUT OF REACH OF CHILDREN

WARNING

Do not use on foals less than 12 weeks old.

Net Contents 1 QT (.946 L)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE INSTRUCTIONS

- Do not use on animals less than 12 weeks old.
- Read and follow all directions and precautions on this product label.
- TEST PATCH TO AVOID HORSE SENSITIVITY
- Do not treat animal more frequently than every 3 days.
- Do not treat animal more frequently than every 3 days.
- Do not use on animals with open wounds.
- Do not apply when flies are not present.
- Do not apply more than 1 time per day.
- Remove or cover exposed food and drinking water before application.
- Remove or cover salt or mineral licks, utensils, feed processing equipment, and feed preparation surfaces or wash these before use.
- Do not allow adults, children, or pets to enter the treated area until spray has dried.
- Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift. Only people and pets without skin contact should be allowed in treated areas during application.
- Application of this product is prohibited directly into streams or drains, or in any area like a gutter where drainage to storm sewers, storm drains, water bodies, or aquatic habitat can occur. Do not clean this product's mixing/loading equipment or apparatus near storm drains or bodies of water.
- Do not apply this product, or allow it to drift to, blooming crops or weeds while bees are actively visiting the treatment area.
- Remove pets, birds, and livestock or take equivalent steps to protect them.

USE ONLY AS WELL AS PLACED AND DIRECTED FOR USE ON HORSES

For initial treatment, apply daily for 2–3 days. After initial application, retreatment should be appropriate once to two times weekly. For heavy areas 3 – 5 days after initial treatment. After supply spray has been applied to animal, do not re-apply to horse's face.

Horses, Ponies and Foals Thoroughly brush dirt from animal's coat prior to application to remove loose dirt and debris. For dirty horses, mud on a preparation for shower grooming, clean the coat with a shampoo. Rub coat and is completely dry before applying spray. Close eyes and ears of animal with spray but avoid getting product into horse's eyes or other sensitive areas such as mouth or nose. Brush coat against grain while spraying to ensure adequate penetration of product. For a stye, apply sparingly to the eyelid. Do not spray directly into eyes. Do not spray product into horse's mouth, nose, or ears. Do not use on horses or foals intended for slaughter.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Pesticide Storage: Store in a cool, dry (preferably locked) area that is inaccessible to children and pets and away from food, sparks, or open flame. If a leaky container must be contained within a larger one with the same corrosion to identify the contents. Do not store near heat or open flame. Store pesticides away from food, pet food, seed, fertilizer, and maintenance supplies. Pesticide Disposal: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility. Container Disposal: Nonrefillable container. Do not reuse or refill this container. If Empty: Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

EPA Reg. No. 070-025
EPA Est. No. 61884-CA-001