

**READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON HORSES, PONIES AND FOALS
NOT FOR USE ON HORSES INTENDED FOR SLAUGHTER**

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use in outdoor residential misting systems.

Mix Repel-X[®]E Emulsifiable Fly Spray with water at proper dilution. First put the required amount of Repel-X[®]E Emulsifiable Fly Spray into sprayer or mixing container. Then add water according to directions, and mix thoroughly before using.

IMPORTANT: Mix fresh solution before each use. Apply with pressure sprayer, or you can sponge it on horses. Make sure animal's coat is thoroughly wet. Use approximately 8 oz. for each animal depending on size of horse or pony. Avoid getting solution into the animal's eyes.

To protect horses from Horn Flies, House Flies, Gnats and Mosquitoes apply at a 1 to 7 dilution. Each pint of concentrate makes a gallon of finished spray. Repeat application every 3 or 4 days but not more than one treatment a day. Where Horse Flies, Deer Flies (Tabanids), Stable Flies, Ticks, or Deer Ticks, that may transmit Lyme Disease, are a problem, apply 1 to 4 dilution and repeat as often as needed.

FIRST AID

**IF ON SKIN
OR CLOTHING**

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15–20 minutes.
- Call a poison control center or doctor for treatment advice.

**IF
SWALLOWED**

- Immediately call a poison control center or doctor.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give any liquid to the person.
- Do not give anything by mouth to an unconscious person.

IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

In case of emergency or for product information, call 800-234-2269

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN

This product may pose an aspiration pneumonia hazard.
Contains petroleum distillate.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

HUMANS: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

ANIMALS: Avoid contact with eyes, or mucous membranes. Do not treat foals under 12 weeks of age unless prescribed by a veterinarian.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms, including fish and invertebrates. Do not contaminate water when disposing of equipment, washwater, or rinsate. See Directions for Use for additional precautions and requirements.

PHYSICAL HAZARDS

Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a cool, dry place, inaccessible to children and pets. Do not store near heat or open flame.

PESTICIDE DISPOSAL: Nonrefillable container. Do not reuse this container if empty. Place in trash or offer for recycling if available. If **partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Manufactured for: **FARNAM COMPANIES, INC.**

Horse Products Division

P.O. Box 34820 • Phoenix, AZ 85067-4820 • farnamhorse.com

In case of emergency or for product use information, call 800-234-2269

Product Code: 100512028 • RM#: 300503258

©2008, 2012 Farnam Companies, Inc. • Made in USA • 12-0698

Farnam, Farnam with design and Repel-X are trademarks of Farnam Companies, Inc. ETOC is a registered trademark of Sumitomo Chemical Company, Ltd.



EPA REG. No. 270-325

EPA Est. No. 2724-TX-1